ELSEVIER

Brain Research 898 (2001) 368–370

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akaike, A., see Kitamura, Y. (898) 181
Alves, A.S., see Britto, L.R.G. (898) 158
Amano, S., see Kurazono, S. (898) 36
Anderson, A.J., see Su, J.H. (898) 350
Ansonoff, M.A. and Etgen, A.M.
Estrogen increases G protein coupled receptor kinase 2 in the cortex of female rats (898) 186
Auman, J.T., see Slotkin, T.A. (898) 73

Bailie, T.M., see Sorg, B.A. (898) 314
Baker, H.F., see Ridley, R.M. (898) 136
Battaglia, G., see Fornai, F. (898) 27
Blaabjerg, M., Kristensen, B.W., Bonde, C. and Zimmer, J.
The metabotropic glutamate receptor agonist 1*S*,3*R*-ACPD stimulates and modulates NMDA receptor mediated excitotoxicity in organotypic hippocampal slice cultures (898) 91
Bonde, C., see Blaabjerg, M. (898) 91
Brandt, J.A., Churchill, L., Guan, Z., Fang, J., Chen, L. and Krueger, J.M.
Sleep deprivation but not a whisker trim increases nerve growth factor within barrel cortical neurons (898) 105
Britto, L.R.G., Alves, A.S., Lindstrom, J.M. and Torrão, A.S.
Differential localization of acetylcholinesterase in relation to pre- and postsynaptic nicotinic receptors in the chick brain (898) 158
Buttarelli, F.R., see Pontieri, F.E. (898) 178
Buzo, E., see Guevara-Guzmán, R. (898) 303

Cai, Z., Pang, Y., Xiao, F. and Rhodes, P.G.
Chronic ischemia preferentially causes white matter injury in the neonatal rat brain (898) 126
Chen, L., see Brandt, J.A. (898) 105
Chopde, C.T., see Deshpande, L.S. (898) 13
Churchill, L., see Brandt, J.A. (898) 105
Coenen, A.M.L., see Meeren, H.K.M. (898) 321
Cotman, C.W., see Su, J.H. (898) 350
Craddock, S.D., see Holtz, M.L. (898) 49
Crochet, S., see Sakai, K. (898) 332

Da Costa, A.P., see Guevara-Guzmán, R. (898) 303
del Ángel, R., see Sotres-Bayón, F. (898) 342
de la Riva, C., see Guevara-Guzmán, R. (898) 303

Deng, H.B., Yu, Y., Wang, H., Guang, W. and Wang, J.B.
Agonist-induced μ opioid receptor phosphorylation and functional desensitization in rat thalamus (898) 204
Deshpande, L.S., Khisti, R.T. and Chopde, C.T.
Cataleptic effect of neurosteroid 3α-hydroxy-5α-pregnan-20-one in mice: modulation by serotonergic agents (898) 13

Etgen, A.M., see Ansonoff, M.A. (898) 186

Fang, J., see Brandt, J.A. (898) 105
Fathollahi, Y., see Palizvan, M.R. (898) 82
Fornai, F., Battaglia, G., Gesi, M., Orzi, F., Nicoletti, F. and Ruggieri, S.
Dose-dependent protective effects of apomorphine against methamphetamine-induced nigrostriatal damage (898) 27
Fukuoka, J., see Kurazono, S. (898) 36

Gaffan, D., see Ridley, R.M. (898) 136
Gammie, S.C. and Nelson, R.J.
cFOS and pCREB activation and maternal aggression in mice (898) 232
García Del Caño, G., see Gerrikagoitia, I. (898) 61
García-Sevilla, J.A., see Odagaki, Y. (898) 224
García-Sevilla, J.A., see Sastre, M. (898) 242
Garofolo, M.C., see Slotkin, T.A. (898) 73
Gaudet, I., see Swerdlow, N.R. (898) 195
Gerrikagoitia, I., García Del Caño, G. and Martínez-Millán, L.
Changes of the cholinergic input to the superior colliculus following enucleation in neonatal and adult rats (898) 61
Gesi, M., see Fornai, F. (898) 27
Giles, M.E., Sly, D.J., McKinley, M.J. and Oldfield, B.J.
Neurons in the lamina terminalis which project polysynaptically to the kidney express angiotensin AT_{1A} receptor (898) 9
Guan, Z., see Brandt, J.A. (898) 105
Guang, W., see Deng, H.B. (898) 204
Guevara-Guzmán, R., Buzo, E., Larrazolo, A., de la Riva, C., Da Costa, A.P. and Kendrick, K.M.
Vaginocervical stimulation-induced release of classical neurotransmitters and nitric oxide in the nucleus of the solitary tract varies as a function of the oestrus cycle (898) 303
Guimón, J., see Odagaki, Y. (898) 224
Guimón, J., see Sastre, M. (898) 242

Hajezadeh, S., see Palizvan, M.R. (898) 82
Halim, N.D., see Swerdlow, N.R. (898) 195
Hanlon, F.M., see Swerdlow, N.R. (898) 195
Henning, L., see Swerdlow, N.R. (898) 195
Hewitt, K.E., Stys, P.K. and Lesiuk, H.J.
The use-dependent sodium channel blocker mexiletine is neuroprotective against global ischemic injury (898) 281
Holtz, M.L., Craddock, S.D. and Pettigrew, L.C.
Rapid expression of neuronal and inducible nitric oxide synthases during post-ischemic reperfusion in rat brain (898) 49
Honda, Y., see Ukena, K. (898) 190
Hoover-Plow, J., Skomorovska-Prokvolit, O. and Welsh, S.
Selective behaviors altered in plasminogen-deficient mice are reconstituted with intracerebroventricular injection of plasminogen (898) 256
Huguelet, P., see Odagaki, Y. (898) 224

Ideguchi, M., see Uchida, T. (898) 272
Ikeda, K., see Xia, A.-P. (898) 364
Ishida, Y., see Kitamura, Y. (898) 181

Janigro, D., see Sinclair, C.J.D. (898) 122

Kajiwara, K., see Uchida, T. (898) 272
Kakimura, J.-i., see Kitamura, Y. (898) 181
Kakizaki, Y., see Kohsaka, A. (898) 166
Katori, Y., see Xia, A.-P. (898) 364
Kendrick, K.M., see Guevara-Guzmán, R. (898) 303
Khisti, R.T., see Deshpande, L.S. (898) 13
Kikuchi, T., see Xia, A.-P. (898) 364
Kim, Y.K., see Swerdlow, N.R. (898) 195
Kitamura, Y., Ishida, Y., Takata, K., Kakimura, J.-i., Mizutani, H., Shimohama, S., Akaike, A. and Taniguchi, T.
α-Synuclein protein is not scavenged in neuronal loss induced by kainic acid or focal ischemia (898) 181

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02333-2

ELSEVIER

Brain Research 898 (2001) 368–370

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akaike, A., see Kitamura, Y. (898) 181
Alves, A.S., see Britto, L.R.G. (898) 158
Amano, S., see Kurazono, S. (898) 36
Anderson, A.J., see Su, J.H. (898) 350
Ansonoff, M.A. and Etgen, A.M.
Estrogen increases G protein coupled receptor kinase 2 in the cortex of female rats (898) 186
Auman, J.T., see Slotkin, T.A. (898) 73

Bailie, T.M., see Sorg, B.A. (898) 314
Baker, H.F., see Ridley, R.M. (898) 136
Battaglia, G., see Fornai, F. (898) 27
Blaabjerg, M., Kristensen, B.W., Bonde, C. and Zimmer, J.
The metabotropic glutamate receptor agonist 1*S*,3*R*-ACPD stimulates and modulates NMDA receptor mediated excitotoxicity in organotypic hippocampal slice cultures (898) 91
Bonde, C., see Blaabjerg, M. (898) 91
Brandt, J.A., Churchill, L., Guan, Z., Fang, J., Chen, L. and Krueger, J.M.
Sleep deprivation but not a whisker trim increases nerve growth factor within barrel cortical neurons (898) 105
Britto, L.R.G., Alves, A.S., Lindstrom, J.M. and Torrão, A.S.
Differential localization of acetylcholinesterase in relation to pre- and postsynaptic nicotinic receptors in the chick brain (898) 158
Buttarelli, F.R., see Pontieri, F.E. (898) 178
Buzo, E., see Guevara-Guzmán, R. (898) 303

Cai, Z., Pang, Y., Xiao, F. and Rhodes, P.G.
Chronic ischemia preferentially causes white matter injury in the neonatal rat brain (898) 126
Chen, L., see Brandt, J.A. (898) 105
Chopde, C.T., see Deshpande, L.S. (898) 13
Churchill, L., see Brandt, J.A. (898) 105
Coenen, A.M.L., see Meeren, H.K.M. (898) 321
Cotman, C.W., see Su, J.H. (898) 350
Craddock, S.D., see Holtz, M.L. (898) 49
Crochet, S., see Sakai, K. (898) 332

Da Costa, A.P., see Guevara-Guzmán, R. (898) 303
del Ángel, R., see Sotres-Bayón, F. (898) 342
de la Riva, C., see Guevara-Guzmán, R. (898) 303

Deng, H.B., Yu, Y., Wang, H., Guang, W. and Wang, J.B.
Agonist-induced μ opioid receptor phosphorylation and functional desensitization in rat thalamus (898) 204
Deshpande, L.S., Khisti, R.T. and Chopde, C.T.
Cataleptic effect of neurosteroid 3α-hydroxy-5α-pregnan-20-one in mice: modulation by serotonergic agents (898) 13

Etgen, A.M., see Ansonoff, M.A. (898) 186

Fang, J., see Brandt, J.A. (898) 105
Fathollahi, Y., see Palizvan, M.R. (898) 82
Fornai, F., Battaglia, G., Gesi, M., Orzi, F., Nicoletti, F. and Ruggieri, S.
Dose-dependent protective effects of apomorphine against methamphetamine-induced nigrostriatal damage (898) 27
Fukuoka, J., see Kurazono, S. (898) 36

Gaffan, D., see Ridley, R.M. (898) 136
Gammie, S.C. and Nelson, R.J.
cFOS and pCREB activation and maternal aggression in mice (898) 232
García Del Caño, G., see Gerrikagoitia, I. (898) 61
García-Sevilla, J.A., see Odagaki, Y. (898) 224
García-Sevilla, J.A., see Sastre, M. (898) 242
Garofolo, M.C., see Slotkin, T.A. (898) 73
Gaudet, I., see Swerdlow, N.R. (898) 195
Gerrikagoitia, I., García Del Caño, G. and Martínez-Millán, L.
Changes of the cholinergic input to the superior colliculus following enucleation in neonatal and adult rats (898) 61
Gesi, M., see Fornai, F. (898) 27
Giles, M.E., Sly, D.J., McKinley, M.J. and Oldfield, B.J.
Neurons in the lamina terminalis which project polysynaptically to the kidney express angiotensin AT_{1A} receptor (898) 9
Guan, Z., see Brandt, J.A. (898) 105
Guang, W., see Deng, H.B. (898) 204
Guevara-Guzmán, R., Buzo, E., Larrazolo, A., de la Riva, C., Da Costa, A.P. and Kendrick, K.M.
Vaginocervical stimulation-induced release of classical neurotransmitters and nitric oxide in the nucleus of the solitary tract varies as a function of the oestrus cycle (898) 303
Guimón, J., see Odagaki, Y. (898) 224
Guimón, J., see Sastre, M. (898) 242

Hajezadeh, S., see Palizvan, M.R. (898) 82
Halim, N.D., see Swerdlow, N.R. (898) 195
Hanlon, F.M., see Swerdlow, N.R. (898) 195
Henning, L., see Swerdlow, N.R. (898) 195
Hewitt, K.E., Stys, P.K. and Lesiuk, H.J.
The use-dependent sodium channel blocker mexiletine is neuroprotective against global ischemic injury (898) 281
Holtz, M.L., Craddock, S.D. and Pettigrew, L.C.
Rapid expression of neuronal and inducible nitric oxide synthases during post-ischemic reperfusion in rat brain (898) 49
Honda, Y., see Ukena, K. (898) 190
Hoover-Plow, J., Skomorovska-Prokvolit, O. and Welsh, S.
Selective behaviors altered in plasminogen-deficient mice are reconstituted with intracerebroventricular injection of plasminogen (898) 256
Huguelet, P., see Odagaki, Y. (898) 224

Ideguchi, M., see Uchida, T. (898) 272
Ikeda, K., see Xia, A.-P. (898) 364
Ishida, Y., see Kitamura, Y. (898) 181

Janigro, D., see Sinclair, C.J.D. (898) 122

Kajiwara, K., see Uchida, T. (898) 272
Kakimura, J.-i., see Kitamura, Y. (898) 181
Kakizaki, Y., see Kohsaka, A. (898) 166
Katori, Y., see Xia, A.-P. (898) 364
Kendrick, K.M., see Guevara-Guzmán, R. (898) 303
Khisti, R.T., see Deshpande, L.S. (898) 13
Kikuchi, T., see Xia, A.-P. (898) 364
Kim, Y.K., see Swerdlow, N.R. (898) 195
Kitamura, Y., Ishida, Y., Takata, K., Kakimura, J.-i., Mizutani, H., Shimohama, S., Akaike, A. and Taniguchi, T.
α-Synuclein protein is not scavenged in neuronal loss induced by kainic acid or focal ischemia (898) 181

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02333-2

Kiyohara, T., see Matsunaga, W. (898) 215
Klapka, N., see Világi, I. (898) 288
Kobayashi, H., see Shiraishi, S. (898) 152
Kohsaka, A., Watanobe, H., Kakizaki, Y., Suda, T. and Schiöth, H.B.
A significant participation of orexin-A, a potent orexigenic peptide, in the preovulatory luteinizing hormone and prolactin surges in the rat (898) 166
Koinig, H., Vornik, V., Rueda, C. and Zornow, M.H.
Lubeluzole inhibits accumulation of extracellular glutamate in the hippocampus during transient global cerebral ischemia (898) 297
Komisaruk, B.R., see Sansone, G.R. (898) 265
Kotula, L., see Xu, J. (898) 171
Koyama, T., see Odagaki, Y. (898) 224
Kristensen, B.W., see Blaabjerg, M. (898) 91
Krizanac-Bengez, L., see Sinclair, C.J.D. (898) 122
Krueger, J.M., see Brandt, J.A. (898) 105
Kurazono, S., Okamoto, M., Sakiyama, J., Mori, S., Nakata, Y., Fukuoka, J., Amano, S., Oohira, A. and Matsui, H.
Expression of brain specific chondroitin sulfate proteoglycans, neurocan and phosphacan, in the developing and adult hippocampus of Ihara's epileptic rats (898) 36

La Harpe, R., see Odagaki, Y. (898) 224
Larrazolo, A., see Guevara-Guzmán, R. (898) 303
Lea, R.W., see Ukena, K. (898) 190
Lesiuk, H.J., see Hewitt, K.E. (898) 281
Li, N., see Sorg, B.A. (898) 314
Lindstrom, J.M., see Britto, L.R.G. (898) 158
López-Ávila, A., see Sotres-Bayón, F. (898) 342
Luhmann, H.J., see Világi, I. (898) 288
Lynn, B.D., Rempel, J.L. and Nagy, J.I.
Enrichment of neuronal and glial connexins in the postsynaptic density subcellular fraction of rat brain (898) 1

Maclean, C.J., see Ridley, R.M. (898) 136
Martínez-Millán, L., see Gerrikagoitia, I. (898) 61
Matsui, H., see Kurazono, S. (898) 36
Matsunaga, W., Osawa, S., Miyata, S. and Kiyohara, T.
Astrocytic Fos expression in the rat posterior pituitary following LPS administration (898) 215
Maurice, T., Phan, V.-L. and Privat, A.
The anti-amnesic effects of sigma$_1$ (σ_1) receptor agonists confirmed by in vivo antisense strategy in the mouse (898) 113
McCook, E.C., see Slotkin, T.A. (898) 73
McKinley, M.J., see Giles, M.E. (898) 9
Meeren, H.K.M., van Cappellen van Walsum, A.M., van Luijtelaar, E.L.J.M. and Coenen, A.M.L.
Auditory evoked potentials from auditory cortex, medial geniculate nucleus, and inferior colliculus during sleep–wake states and spike-wave discharges in the WAG/Rij rat (898) 321
Mirnajafizadh, J., see Palizvan, M.R. (898) 82
Miyata, S., see Matsunaga, W. (898) 215
Mizutani, H., see Kitamura, Y. (898) 181
Monnazzi, P., see Pontieri, F.E. (898) 178
Mori, S., see Kurazono, S. (898) 36
Morioka, J., see Uchida, T. (898) 272

Nagy, J.I., see Lynn, B.D. (898) 1
Nakata, Y., see Kurazono, S. (898) 36
Nelson, R.J., see Gammie, S.C. (898) 232
Nicoletti, F., see Fornai, F. (898) 27
Niki, H., see Sakamoto, T. (898) 358

Odagaki, Y., García-Sevilla, J.A., Huguelet, P., La Harpe, R., Koyama, T. and Guimón, J.
Cyclic AMP-mediated signaling components are upregulated in the prefrontal cortex of depressed suicide victims (898) 224
Okamoto, M., see Kurazono, S. (898) 36
Oldfield, B.J., see Giles, M.E. (898) 9
Oohira, A., see Kurazono, S. (898) 36
Orzi, F., see Fornai, F. (898) 27
Osawa, S., see Matsunaga, W. (898) 215
Oshima, T., see Xia, A.-P. (898) 364

Palizvan, M.R., Fathollahi, Y., Semnanian, S., Hajezadeh, S. and Mirnajafizadh, J.
Differential effects of pentylenetetrazol-kindling on long-term potentiation of population excitatory postsynaptic potentials and population spikes in the CA1 region of rat hippocampus (898) 82
Pang, Y., see Cai, Z. (898) 126
Parkinson, F.E., see Sinclair, C.J.D. (898) 122
Patacchioli, F.R., see Pontieri, F.E. (898) 178
Pellicer, F., see Sotres-Bayón, F. (898) 342
Pettigrew, L.C., see Holtz, M.L. (898) 49
Phan, V.-L., see Maurice, T. (898) 113
Pinkerton, K.E., see Slotkin, T.A. (898) 73
Pontieri, F.E., Monnazzi, P., Scontrini, A., Buttarelli, F.R. and Patacchioli, F.R.
Behavioral sensitization to WIN55212.2 in rats pretreated with heroin (898) 178
Privat, A., see Maurice, T. (898) 113

Rempel, J.L., see Lynn, B.D. (898) 1
Rhodes, P.G., see Cai, Z. (898) 126
Ridley, R.M., Warner, K.A., Maclean, C.J., Gaffan, D. and Baker, H.F.
Visual agnosia and Klüver–Bucy syndrome in marmosets (*Callithrix jacchus*) following ablation of inferotemporal cortex, with additional mnemonic effects of immunotoxic lesions of cholinergic projections to medial temporal areas (898) 136
Rueda, C., see Koinig, H. (898) 297

Ruggieri, S., see Fornai, F. (898) 27

Sakai, K. and Crochet, S.
Increase in antidromic excitability in presumed serotonergic dorsal raphe neurons during paradoxical sleep in the cat (898) 332
Sakamoto, T. and Niki, H.
Acoustic priming lowers the threshold for electrically induced seizures in mice inferior colliculus, but not in the deep layers of superior colliculus (898) 358
Sakiyama, J., see Kurazono, S. (898) 36
Sansone, G.R. and Komisaruk, B.R.
Evidence that oxytocin is an endogenous stimulator of autonomic sympathetic preganglionics: the pupillary dilatation response to vaginocervical stimulation in the rat (898) 265
Sastre, M., Guimón, J. and García-Sevilla, J.A.
Relationships between β- and α_2-adrenoceptors and G coupling proteins in the human brain: effects of age and suicide (898) 242
Scalia, J., see Xu, J. (898) 171
Schiöth, H.B., see Kohsaka, A. (898) 166
Scontrini, A., see Pontieri, F.E. (898) 178
Seidler, F.J., see Slotkin, T.A. (898) 73
Semnanian, S., see Palizvan, M.R. (898) 82
Shimohama, S., see Kitamura, Y. (898) 181
Shiraishi, S., Yamamoto, R., Yanagita, T., Yokoo, H., Kobayashi, H., Uezono, Y. and Wada, A.
Down-regulation of cell surface insulin receptors by sarco(endo)plasmic reticulum Ca^{2+}-ATPase inhibitor in adrenal chromaffin cells (898) 152
Sinclair, C.J.D., Krizanac-Bengez, L., Stanness, K.A., Janigro, D. and Parkinson, F.E.
Adenosine permeation of a dynamic in vitro blood–brain barrier inhibited by dipyridamole (898) 122
Skomorovska-Prokvolit, O., see Hoover-Plow, J. (898) 256
Slotkin, T.A., Pinkerton, K.E., Garofolo, M.C., Auman, J.T., McCook, E.C. and Seidler, F.J.
Perinatal exposure to environmental tobacco smoke induces adenylyl cyclase and alters receptor-mediated cell signaling in brain and heart of neonatal rats (898) 73
Sly, D.J., see Giles, M.E. (898) 9
Smith, M.J. and Wise, P.M.
Localization of κ opioid receptors in oxytocin magnocellular neurons in the paraventricular and supraoptic nuclei (898) 162
Sorg, B.A., Bailie, T.M., Tschirgi, M.L., Li, N. and Wu, W.-R.
Exposure to repeated low-level formaldehyde in rats increases basal

corticosterone levels and enhances the corticosterone response to subsequent formaldehyde (898) 314
Sotres-Bayón, F., Torres-López, E., López-Ávila, A., del Ángel, R. and Pellicer, F. Lesion and electrical stimulation of the ventral tegmental area modify persistent nociceptive behavior in the rat (898) 342
Srinivasan, A., see Su, J.H. (898) 350
Stanness, K.A., see Sinclair, C.J.D. (898) 122
Stys, P.K., see Hewitt, K.E. (898) 281
Su, J.H., Zhao, M., Anderson, A.J., Srinivasan, A. and Cotman, C.W. Activated caspase-3 expression in Alzheimer's and aged control brain: correlation with Alzheimer pathology (898) 350
Suda, T., see Kohsaka, A. (898) 166
Suzuki, M., see Uchida, T. (898) 272
Swerdlow, N.R., Hanlon, F.M., Henning, L., Kim, Y.K., Gaudet, I. and Halim, N.D. Regulation of sensorimotor gating in rats by hippocampal NMDA: anatomical localization (898) 195

Takata, K., see Kitamura, Y. (898) 181
Taniguchi, T., see Kitamura, Y. (898) 181
Torrão, A.S., see Britto, L.R.G. (898) 158
Torres-López, E., see Sotres-Bayón, F. (898) 342
Tschirgi, M.L., see Sorg, B.A. (898) 314
Tsutsui, K., see Ukena, K. (898) 190

Uchida, T., Kajiwara, K., Ideguchi, M., Yoshikawa, K., Morioka, J. and Suzuki, M. Co-administration of adenovirus vector expressing CTLA4-Ig prolongs transgene expression in the brain of mice sensitized with adenovirus (898) 272
Uezono, Y., see Shiraishi, S. (898) 152
Ukena, K., Honda, Y., Lea, R.W. and Tsutsui, K. Developmental changes in progesterone biosynthesis and metabolism in the quail brain (898) 190

van Cappellen van Walsum, A.M., see Meeren, H.K.M. (898) 321
van Luijtelaar, E.L.J.M., see Meeren, H.K.M. (898) 321
Világi, I., Klapka, N. and Luhmann, H.J. Optical recording of spreading depression in rat neocortical slices (898) 288
Vornik, V., see Koinig, H. (898) 297

Wada, A., see Shiraishi, S. (898) 152
Wang, H., see Deng, H.B. (898) 204
Wang, J.B., see Deng, H.B. (898) 204
Warner, K.A., see Ridley, R.M. (898) 136
Watanabe, K., see Xia, A.-P. (898) 364
Watanobe, H., see Kohsaka, A. (898) 166
Welsh, S., see Hoover-Plow, J. (898) 256
Wise, P.M., see Smith, M.J. (898) 162
Wu, W.-R., see Sorg, B.A. (898) 314

Xia, A.-P., Katori, Y., Oshima, T., Watanabe, K., Kikuchi, T. and Ikeda, K. Expression of connexin 30 in the developing mouse cochlea (898) 364
Xiao, F., see Cai, Z. (898) 126
Xu, J., Ziemnicka, D., Scalia, J. and Kotula, L. Monoclonal antibodies to αI spectrin Src homology 3 domain associate with macropinocytic vesicles in nonerythroid cells (898) 171

Yamamoto, R., see Shiraishi, S. (898) 152
Yanagita, T., see Shiraishi, S. (898) 152
Yokoo, H., see Shiraishi, S. (898) 152
Yoshikawa, K., see Uchida, T. (898) 272
Yu, Y., see Deng, H.B. (898) 204

Zhao, M., see Su, J.H. (898) 350
Ziemnicka, D., see Xu, J. (898) 171
Zimmer, J., see Blaabjerg, M. (898) 91
Zornow, M.H., see Koinig, H. (898) 297